


EVOLine[®]

the e-place design





EVOLINE® Port



The Principle

Retractable Aluminium housing with connections for power and data.

Easy to install.

The Function.

Press the rocking cover on the hollow, pull out at the opening, connect the cable, and retract it.

The rocking cover will release the path for the connected cables.



Lighting variations



Nightlight Blue



Nightlight Red



Nightlight Green



Nightlight White



Nightlight effect Blue

Cover versions



Silver



Stainless Steel



Black



Chrome



Gold

EVOLine® Port

The Applications.

In conference rooms, offices, hotels, sales rooms, kitchens:

everywhere, where design and order are in demand.

Special features.

Internationally patented.

Honoured with the „Reddot award“ for the highest level of design and function.



EVOLine® Port Individual

Just choose the modules and the configuration! With the modular design of EVOLine® Port you have the opportunity to customise your model the way you wish.



Socket modules

Page 200 - 219



Data modules

Page 222 - 239



Multimedia modules

Page 240 - 255



Pushbutton and switch modules

Page 256 - 261



Protection modules

Page 262 - 265

How to order
Page 88 - 89

Surface variations



Silver



Chrome



Gold



Black



Brass



reddot
design award

1

**Selection
EVOLine® Port
profile**
Page 93 - 95



Empty profile EVOLine® Port
Rocking cover made of solid,
Stainless Steel, in CD-design

Order number:
9330 1360 0000



Nightlight module, Night Blue

Order number:
9330 3830 0000

2

**Selection
EVOLine®
modules**
Page 201 - 271



on / off switch

Order number:
9330 0010 0000



**2 x socket
VDE**

Order number:
9330 1050 0000



2 x VGA modules

Order number:
9330 2370 0000



**Audio modules
Audio 1 / 2**

Order number:
9330 2450 0000

3

**Selection
EVOLine®
supply cable
modules**
Page 220 - 221



**Supply cable
modules**

Order number:
9330 2020 0000

All connection lengths
described here are
measured from the
connection point and
mounting position of the
modules in the profile.

**Please note for
module selection:**

**Profile number determines
the permissible combination
of modules and profiles.**

EVOLine® Profile type	No.
EVOLine® Dock	1
EVOLine® U-Dock	2
EVOLine® Port	3
EVOLine® Port Lounge	4
EVOLine® Vertical	5
EVOLine® SubDesk	6
EVOLine® Caddy	7
EVOLine® FlipTop	8
EVOLine® V-Dock	9


4

Your
EVOLine® Port
Individual



5

Selection
EVOLine®
accessories
Page 284



Hole saw
Order number:
1599 0901 7000

Further
EVOLine®
Accessories
Page 281 - 287



EVOLine®
Cable-
Management
to protect
your cable
distribution
Page 272- 279



Ordering information:
After receiving your order
a product drawing will be sent
to you , that you release with
your signature, thus avoiding
wrong orders.

Our general conditions of sale
apply for all orders.
www.schulte.com

Subject to technical changes.

The goods are not marked
with EAN-codes.
If required, please order
separately.

Article	Picture	Specification	Type
EVoline® Port Aluminium housing Silver anodised For countertops with max. 50 mm thickness Mounting hole Ø 102 mm two sockets, 60°, 16 A, with contact protection Germany, Austria 2) supply cable 3,0 m		Rocking cover and sleeve plastic, lacquered Silver **	1593 1000 3300
		Rocking cover and sleeve plastic, lacquered Black **	1593 1000 5200
		Rocking cover made of solid Stainless Steel in CD-design and sleeve plastic, lacquered in colour **	1593 1003 1100
		Rocking cover made of solid Stainless Steel in CD-design and sleeve plastic, lacquered in colour ** NIGHTLIGHT-effect by Blue LEDs under the rocking cover and an illuminated ON / OFF switch	1593 1003 1200
EVoline® Port Aluminium housing Silver anodised For countertops with max. 50 mm thickness Mounting hole Ø 102 mm three sockets, 60°, 16 A, with contact protection Germany, Austria 2) supply cable 3,0 m		Rocking cover and sleeve plastic, lacquered Silver **	1593 1000 0100
		Rocking cover and sleeve plastic, lacquered Black **	1593 1000 5000
		Rocking cover made of solid Stainless Steel in CD-design and sleeve plastic, lacquered in colour **	1593 1002 1600
		Rocking cover made of solid Stainless Steel in CD-design with plastic, lacquered in colour ** NIGHTLIGHT-effect by Blue LEDs under the rocking cover and an illuminated ON / OFF switch	1593 1003 1300
EVoline® Port CUISINE Aluminium housing Silver anodised For countertops with max. 50 mm thickness Mounting hole Ø 102 mm three sockets, 60°, 16 A, with contact protection Germany, Austria 2) s supply cable 2,5 m Plug supplied loose		Rocking cover made of plastic lacquered Silver and sleeve of plastic, Grey **	1593 1000 0600

** Stock, short-term availability


2) Appropriate socket types for international requirements can be found on page 203

EVOLine® Port Standard

Article	Picture	Specification	Type
<p>EVOLine® Port CUISINE CLASSIC Aluminium housing stained Antique Brass colour For countertops with max. 50 mm thickness Mounting hole Ø 102 mm three sockets, 60°, 16 A, with contact protection Germany, Austria 2) supply cable 2,5 m Plug supplied loose</p>		Rocking cover and sleeve plastic, lacquered Antique Brass colour **	1593 1011 5700
<p>EVOLine® Port DATA Aluminium housing Silver anodised For countertops with max. 50 mm thickness Mounting hole Ø 102 mm two sockets, 60°, 16 A, with contact protection Germany, Austria 2) supply cable 3,0 m two modular couplings for patch cable Wired RJ 45 to RJ 45, 1:1, CAT6 Shielded</p>		Rocking cover and sleeve plastic, lacquered Silver **	1593 1003 1400
		Rocking cover and sleeve plastic, lacquered Black **	1593 1003 1500
		Rocking cover made of solid Stainless Steel in CD-design and sleeve plastic, lacquered in colour **	1593 1003 1600
		Rocking cover made of solid Stainless Steel in CD-design and sleeve plastic, lacquered in colour ** NIGHTLIGHT-effect by Blue LEDs under the rocking cover and an illuminated ON / OFF switch	1593 1003 1700
<p>EVOLine® Port DATA Aluminium housing Silver anodised For countertops with max. 50 mm thickness Mounting hole Ø 102 mm three sockets, 60°, 16 A, with contact protection Germany, Austria 2) supply cable 3,0 m two modular couplings for patch cable Wired RJ 45 to RJ 45, 1:1, CAT6 Shielded</p>		Rocking cover and sleeve plastic, lacquered Silver **	1593 1003 1800
		Rocking cover and sleeve plastic, lacquered Black **	1593 1003 1900
		Rocking cover made of solid Stainless Steel in CD-design and sleeve plastic, lacquered in colour **	1593 1003 2000
		Rocking cover made of solid Stainless Steel in CD-design and sleeve plastic, lacquered in colour ** NIGHTLIGHT-effect by Blue LEDs under the rocking cover and an illuminated ON / OFF switch	1593 1003 2100

** Stock, short-term availability

2) Appropriate socket types for international requirements can be found on page 203

Article	Picture	Specification	Type
<p>EVOLine® Port MULTIMEDIA PROFESSIONAL Aluminium housing Silver anodised For countertops with max. 50 mm thickness Mounting hole Ø 102 mm two sockets, 60°, 16 A, with contact protection Germany, Austria 2) supply cable 3,0 m two modular couplings for patch cable Wired RJ 45 to RJ 45, 1:1, CAT6 Shielded a 15-pin VGA HDD connector and a 3.5 mm audio jack in angled outlet each 3,0 m cable and connector</p>		<p>Rocking cover and sleeve plastic, lacquered Silver **</p> <p>Rocking cover and sleeve plastic, lacquered Black **</p> <p>Rocking cover made of solid Stainless Steel in CD-design and sleeve plastic, lacquered in colour **</p> <p>Rocking cover made of solid Stainless Steel in CD-design and sleeve plastic, lacquered in colour ** NIGHTLIGHT-effect by Blue LEDs under the rocking cover and an illuminated ON / OFF switch</p>	<p>1593 1019 7800</p> <p>1593 1019 7900</p> <p>1593 1019 8000</p> <p>1593 1019 8100</p>

** Stock, short-term availability

2) Appropriate socket types for international requirements can be found on page 203

EVOLine® Port Individual

Article

Picture

Specification

Type

Just combine the modules in the basic profile of your choice!
Thanks to the modular design of the EVOLine® Port, you have the possibility of customise models to suit your needs.
The built-in, surface-treated EVOLine® Ports in Chrome, Gold and Silver with Stainless Steel lid allow for any module loading up to max. 250 mm (For example, five modules with a height of 50 mm).
The total length of these EVOLine® Ports is limited to 340 mm.

**For more information about
„How to order EVOLine®“
See pages 98-99**

Empty Profile EVOLine® Port***
Aluminium housing
Silver anodised
For countertops with
max. 50 mm thickness
Mounting hole Ø 102 mm



with rocking cover and sleeve
plastic, lacquered
Silver

9330 1830 0000

Rocking cover made of solid
Stainless Steel
in CD-design and sleeve
plastic, lacquered
in colour

9330 1360 0000

**Empty EVOLine® Port
CLASSIC*****
Aluminium housing
stained Antique Brass colour
For countertops with
max. 50 mm thickness
Mounting hole Ø 102 mm



with rocking cover and sleeve
plastic, lacquered
Antique Brass colour

9330 2710 0000

*** available on demand, please ask for delivery times

EVoline® Port Individual

Article	Picture	Specification	Type
<p>Empty EVoline® Port GOLD Edition*** Aluminium housing Gold plated For countertops with max. 50 mm thickness Mounting hole Ø 102 mm</p>		<p>Rocking cover made of steel, Gold plated and sleeve plastic, lacquered Black</p>	<p>9330 2730 0000</p>
<p>Empty EVoline® Port CHROME*** Aluminium housing chromed For countertops with max. 50 mm thickness Mounting hole Ø 102 mm</p>		<p>with a rocking cover made of steel, Chrome, and sleeve plastic, lacquered Black</p>	<p>9330 2750 0000</p>
<p>Empty EVoline® Port Black*** Aluminium housing Black anodised For countertops with max. 50 mm thickness Mounting hole Ø 102 mm</p>		<p>with rocking cover and sleeve plastic, lacquered Black</p>	<p>9330 5560 0000</p>

*** available on demand, please ask for delivery times

EVOLine® Port Individual

Article

Empty EVOLine® Port Colour***
 Aluminium housing
 Silver anodised
 For countertops with max. 50 mm thickness
 Mounting hole Ø 102 mm

Picture



Specification

with rocking cover and sleeve
 plastic, lacquered
 RAL colour on request
 Minimum order quantity of 50 pcs per tone

Type

9330 2720 0000

Nightlight LED Modules for EVOLine® Port
 LEDs under rocking cover



EVOLine® Port Nightlight

- Light colour Night Blue 9330 3830 0000
- Light colour Ruby Red 9330 3840 0000
- Light colour Emerald Green 9330 5790 0000
- Light colour Soft White 9331 0260 0000

*** available on demand, please ask for delivery times

Schulte Elektrotechnik
GmbH & Co. KG

Postfach 2732/2708
D-58477 Lüdenscheid

Jüngerstraße 21
D-58515 Lüdenscheid

Telefon +49 (0) 23 51 / 94 81-0
Telefax +49 (0) 23 51 / 4 26 58
E-mail info@schulte.com

www.schulte.com



www.schulte.com

6040 0510 1000